

2014 Combined Annual Meeting Abstracts Subject Index

A

- ABCG1 regulated with interleukin 22, and impairs cholesterol efflux, in macrophages, 23
- ACTH, treatment for IgA nephropathy, 104
- Acute endovascular reperfusion therapy, in ischemic stroke, 22
- Acute lung injury, induced by LPS, with imatinib effect on vascular dysfunction, 13
- Acute megakaryoblastic leukemia (AMKL), associated with t(2;8), transformed from chronic myelomonocytic leukemia, 83
- Acute myeloid leukemia (AML)
impact of distance from residence to treatment outcome, analysis of, 86
pretreatment biochemical and clinical variables for, 82
- Acute respiratory distress syndrome (ARDS), epigenetics and health disparities of, cytosine modifications in MYLK, in nested case-control study, 59
- Adipose tissue inflammation, in obesity, comparative effectiveness of native and nanoformulated SOD on, 41
- Alcoholic hepatitis, in patients with thrombocytopenia, 84
- Anticoagulation and thrombophilia recognition, with atherothrombosis amelioration, 3
- Anti-TNF therapy, associated with novel SNP in TNFRSF1B, in inflammatory bowel disease patients, 67
- Apoptotic and stress signaling
induced by cardiotoxic steroids, in first trimester cytotrophoblast cells, 21
markers expression in preclamping umbilical cords and placentas indicate an adverse impact on offspring, 116
- Arteriovenous (AV) block, and Takotsubo's cardiomyopathy, 14
- Atherothrombosis, amelioration with thrombophilia and anticoagulation recognition, 3
- Atrial fibrillation treatment, with balloon catheter, 15
- Atrioventricular nodal function, microRNA-130a regulation of, 8
- Atypical hemolytic uremic syndrome (AHUS), treated with eculizumab, 115

B

- Baseline gene expression levels and in vitro drug sensitivity, for clinical drug response prediction, in cell lines, 77
- B-cell non-Hodgkin lymphoma, diagnosis of, using sigmoid polyp, 71
- Beta-catenin in smooth muscle cells, ineffective on pulmonary hypertension development, 123
- Bilateral squamous metaplasia, of conjunctiva, side effect of risedronate sodium, 68
- Biomarker, in early diabetic nephropathy, urinary exosomal ceruloplasmin for, 101
- Bortezomib
reversed multiple myeloma (MM), with high index of suspicion and prompt diagnosis by plasma free light chains (PFLC), in acute kidney injury (AKI), 114

- velcade induced SIADH, encephalopathy and profound hyponatremia due to, 107
- Breast cancer, inflammatory and invasive of, aneuploidy for osteoprotegerin, 73
- Breathe measurement, of altered tissue glucose oxidation in obese and diabetes mellitus, 43
- B-type natriuretic peptide (BNP), associated with wedge pressure, in surgical intensive care unit, 17.8

C

- Cancer chromosomal instability, DNA damage response during mitosis induces, 62
- Caspase-1 activation, inflammatory protease release from monocytes in response to endotoxin, 136
- Caspase-12 deficiency, protects against bleomycin-mediated acute lung injury, 128
- CC-chemokine expression, and levels of CCR5 downregulation, during coinfecting HIV-1/HTLV-1/2, 87
- CCR5 downregulation, and CC-chemokine expression, during coinfecting HIV-1/HTLV-1/2, 87
- CD4 T cell responses, long term impairment of, after sepsis, 135
- CD36 transcription regulation, in endothelial cell with signaling kinase PKD-1, and arteriogenic response stimulation, 85
- Cell assembly exposed to high glucose states, altered by three dimensional cell cultures, 109
- Cell senescence, associated with chromatin-mediated gene expression profile, RAP1 relocalization, 69
- Central diabetes insipidus (CDI), undiagnosed for 3 decades till unmasked by dehydration due to endotracheal intubation and stupor, 108
- CGMP-dependent protein kinase I expression, with regulation of hyperglycemia, in first trimester cytotrophoblast cells, 66
- Chest pain, left pectoral pyomyositis secondary to community acquired MRSA, 89
- Chilaiditi syndrome, rare case presenting as chest pain, 49
- Chromatin-mediated gene expression profile, associated with cell senescence pace, RAP1 relocalization, 69
- Chronic house dust mite exposure, stimulates alveolar macrophages transition to regulatory phenotype, 141
- Chronic kidney disease, activated omentum slows progression of, 106
- Chronic myelomonocytic leukemia (CMML), associated with t(2;8), acute megakaryoblastic leukemia (AMKL) rare transformation from, 83
- Cigarette smoke exposure, cause lung inflammation with altitude, 131
- Clostridium difficile infection
CMV sero-status, presence of jejunostomy and use of proton pump inhibitor are associated with increased risk of, 94
in hospitalized patients with cystic fibrosis, 52
risk factors for recurrent, 90
- cMYBP-C
interaction with myosin S2, 19

- on pressure-overload induced hypertrophy, haploinsufficiency of, 9
- COMP-Ang1, associated with diabetic retina and endothelial progenitor cells, vascular stem cell therapy of, 4
- Conjunctiva, bilateral squamous metaplasia of, 68
- Coxsackievirus B3 (CVB3) mediated viral myocarditis, TNNI3K over-expression exacerbates inflammation in, 6
- Crohn's disease, with EBV and CMV co-infection, diagnostic dilemma, 53
- Cyclotrapeptides synthesis, by macrolactamization methods, 63
- Cystic nephroma, proliferation of, 112

D

- Deep venous thrombosis-pulmonary embolus, testosterone therapy, thrombophilia, and hospitalization for, 38
- Diabetes education, for pediatric residents with an online module, 46
- Diabetes outcomes improvement, with peer mentoring pilot project, 48
- Diabetic foot ulcers (DFU), treated with skin substitutes (SS), with wound healing influence, 95
- Diabetic nephropathy, urinary exosomal ceruloplasmin biomarker of, 101
- Diabetic retina, associated with COMP-Ang1 and endothelial progenitor cells, vascular stem cell therapy of, 4
- Dilated cardiomyopathy, associated with oxidative stress and inflammation, in mouse model, 5
- DNA damage, response during mitosis induces cancer chromosomal instability, 62

E

- Eculizumab, postpartum atypical hemolytic uremic syndrome (AHUS) treated with, 115
- Emergency department, in relation with clostridium difficile infection, in united states 2006–2009, 55
- Endoplasmic reticulum stress, up-regulates TRIP-Br2 in visceral fat, 27
- Endoscopic retrograde
cholangiopancreatography (ERCP), in children, trends within United States from 2000–2009, 51
- Endothelial cell migration,
5-hydroxytryptamine type 7 receptor (5-HT7R) regulated by, 18
- Endothelial mesenchymal transitions (ENDMT) and vascular permeability, promoted with Kaposi's sarcoma-associated herpesvirus (KSHV) infected cells, nanovesicles secretion in, 93
- Exogenous testosterone (T) therapy, thrombotic events developed after starting, 29
- Ezrin/Radixin/Moesin proteins genes expression, in pulmonary inflammation, regulation of, 133

F

- Factor V Leiden heterozygosity and high factor VIII, in women with idiopathic osteonecrosis, 37
- Factor V Leiden mutation (FV), associated with ocular thrombosis, 78
- Familial thrombophilia (factor V Leiden heterozygosity, high factor VIII), in women with idiopathic osteonecrosis, 37
- Fibrinogen amyloidosis, with CNS manifestation, 110
- Functional activities performance, involving pushing, role of asymmetry of posture and arm movement during, 45

G

- GCK-related hyperglycemia, misdiagnosed and treated in US, 44
- Gender and race difference, with gout impact, on patient's QOL, 140
- Genes expression regulation, with Ezrin/Radixin/Moesin proteins, in pulmonary inflammation, 133
- Global energy metabolism, adult and developmental exposure to endocrine disruptor tolyfluanid on, 32
- Glucose and lipid metabolism, sexual dimorphic impact of adult-onset hepatic gh resistance on, 39
- Granulomatous-lymphoproliferative interstitial lung disease (GLILD), diagnosis of, 121
- Group V phospholipase A2 gene expression, in pulmonary inflammation, regulation of, 125
- Growth factors and hypoxia, sphingosine 1-phosphate receptors transcription regulation by, 2

H

- Heart failure patients, with mechanical circulatory support, diabetic control improvement, 11
- Hereditary hemorrhagic telangiectasia, transcatheter embolization of pulmonary arteriovenous malformation in, 12
- HER2, tissue microarrays in, 80
- HIV infection, rhabdomyolysis as presenting sign of, 92
- Hormone therapy, followed central retinal vein occlusion, in hyperhomocysteinemia patients, 79
- Human cell-free DNA (cfDNA), isolation, sequencing and analysis, 65
- Human pancreatic islets, heterogeneity of secretory granule structure in, 25
- 5-hydroxytryptamine type 7 receptor (5-HT7R), regulates endothelial cell migration, 18
- Hyperglycemia, impairs first trimester cytotrophoblast function and induces anti-angiogenic milieu via stress signaling, 36
- Hyperhomocysteinemia, hormone therapy followed central retinal vein occlusion in, 79
- Hypoxia, induces the stress and apoptotic signaling in cultured rat lung microvascular endothelial cells, 126

I

- Idiopathic osteonecrosis, medical treatment of, 72
- Idiopathic sudden sensorineural hearing loss (ISSHL), with previously undiagnosed thrombophilia, 26
- IFN induction by influenza, through RIG-I AND TLR3 signaling, in human lung epithelia, 132
- IgA nephropathy, ACTH treatment for, 104
- Imatinib treatment, associated with MRNA and microrna signature, in chronic myeloid leukemia cell line, 57
- Inflammatory bowel disease, patients with SNP in TNFRSF1B associated with anti-TNF therapy, 67
- Inflammatory breast cancer (IBC), and invasive breast cancer aneuploidy, osteoprotegerin in, 73
- Integrated multivariable artificial pancreas control systems work and operator controlled systems, 40
- Intestinal epithelial cells, with oxalate transport regulates proinflammatory cytokines, 105
- Ischemic stroke, acute endovascular reperfusion therapy in, 22

J

- JAK-2 V617F positive polycythemia vera, erlotinib ineffective in patients (pts), 75

K

- Kaposi's sarcoma-associated herpesvirus (KSHV) infected cells promote endothelial mesenchymal transitions (ENDMT) and vascular permeability, nanovesicles secretion in, 93
- latency monocyte recruitment and lipogenesis, induced 5-lipoxygenase-leukotriene B4 (5LO/LTB4) cascade, roles in, 91
- Kaposi's sarcoma tumor cells, role of lipoxins in, 97
- Kidney biopsy, of quiescent lupus nephritis, 100
- Knee, idiopathic osteonecrosis of, 72

L

- Lipid-associated microbiome, immunoregulatory role in multiple sclerosis, 138
- Lipoxins, in Kaposi's sarcoma tumor cells, 97
- Liver function tests and occurrence of anemia, thrombocytopenia and leucopenia- retrospective cohort study, 50
- Long term anticoagulation, stops progression of osteonecrosis in patients heterozygous for the factor V Leiden mutation, 70
- LPS-induced lung injury, epigenetic regulation of, by sphingosine-1-phosphate lyase, 127
- Lupus nephritis, molecular characterization of renal responses in, using serial kidney biopsies, 111

M

- Macrolactamization methods, for cyclotetrapeptides synthesis, 63

- MAPK8, expression quantitative trait locus with pre-capillary pulmonary hypertension in sickle cell disease, 60
- Metastatic chromophobe renal cell carcinoma (MET CH RCC), using axitinib, treatment of, 81
- Microma-130a regulation, of atrioventricular nodal function, 8
- MRNA and microrna signature, in response to imatinib treatment, in chronic myeloid leukemia cell line, 57
- Multidimensional health assessment questionnaire, in systemic lupus erythematosus, measurement properties of, 139
- Multiple myeloma (MM) reversed by bortezomib, acute kidney injury (AKI) due to, with high index of suspicion and prompt diagnosis by plasma free light chains (PFLC), 114
- Multiple sclerosis (MS), microbiome-associated lipid, immunoregulatory role in, 138
- MYLK variant, regulates asthmatic inflammation via alterations in messenger RNA secondary structure, 122
- Myosin Binding Protein-C (MyBP-C), cardiac and skeletal muscle function regulated by, 20
- Myosin S2, interaction with cMYBP-C, 19
- Myxedema coma, precipitated by a combination of iodinated contrast, amiodarone and calcium acetate, 28

N

- Neonatal diabetes, sulfonylurea treatment before genetic testing in, 31
- Nephropathy, urinary exosomal ceruloplasmin biomarker of, in early diabetic, 101
- NLRP3, inflammasome reduces severity of experimentally-induced acute pancreatitis, 35

O

- Obese and diabetes mellitus, breathe measurement of altered tissue glucose oxidation in, 43
- Obesity, comparative effectiveness of native and nanoformulated SOD on adipose tissue inflammation in, 41
- Ocular thrombosis, of previously undiagnosed factor V Leiden heterozygosity, 78
- Osteonecrosis progression, stops long term anticoagulation, in patients heterozygous for the factor V Leiden mutation, 70

P

- P. aeruginosa epigenetic regulation, mediated acute lung injury by spingosine kinase 2, 118
- PBEF/NAMPT gene expression, with epigenetic regulation of hsa-miR-374a and hsa-miR-568, in human lung endothelium, 61
- Pdx1-Cre;KrasG12D/+ cohort, sequestration of oxidized lipids, immunomodulation, and tumor progression in, 74
- Pityriasis rubra pilaris, treated with ustekinumab, 134
- Placental expression, of renin-angiotensin system components and (PRO)renin receptor in preeclamptic pregnancy, 102

- Post-operative insulin resistance, predicts diabetes medications at discharge post liver transplant, 30
- Pre-adipocyte factor-1 (PREF-1), correlates with decreased body fat, increased free fatty acids, and the levels of recent alcohol consumption in excessive alcohol drinkers, 54
- Preeclampsia
placental expression of renin-angiotensin system components and (PRO)renin receptor in preeclamptic pregnancy, 102
- urinary angiotensinogen excretion reduction in, 103
- Pulmonary arterial compliance (PAC), in relation with pulmonary vascular resistance, in mechanically ventilated critically ill surgical patients, 7
- Pulmonary arteriovenous malformation, 1 transcatheter embolization of, in hereditary hemorrhagic telangiectasia, 12
- Pulmonary endothelial barrier, enhanced by FTY720 S-phosphonate, mediated by junctional complex and focal adhesion rearrangement, 119
- Pulmonary fibrosis, with endogenous suppressor of sphingosine 1 phosphate lyase, in human and mouse model, 129
- Pulmonary hypertension development, ineffective with beta-catenin deletion, in smooth muscle cells, 123
- Pulmonary inflammation, group V phospholipase A2 gene expression regulation in, 125
- Pulmonary insufficiency, of unknown etiology, 76
- Pulmonary vascular resistance (PVR), in relation with pulmonary arterial compliance, in mechanically ventilated critically ill surgical patients, 7

Q

- Quiescent lupus nephritis, kidney biopsy of, 100

R

- Radiation nephropathy, with epoxyeicosatrienoic acid analog mitigator, 113
- Receptor tyrosine kinase, in glioblastoma mediates resistance to PDGFR inhibition, 56
- Renal cell carcinoma (RCC), of metastatic chromophobe, using axitinib, treatment of, 81
- Renal responses in lupus nephritis, molecular characterization of, using serial kidney biopsies, 111
- Resident led initiative to provide real time feedback, patient satisfaction improvement, 47
- Rhabdomyolysis, as presenting sign of HIV infection, 92
- Risedronate sodium, bilateral squamous metaplasia of conjunctiva, side effect of, 68

- RNA-Seq, data analysis from lung biopsy and peripheral blood mononuclear cells of an idiopathic pulmonary fibrosis patient, 58
- Roux en Y gastric bypass (RYGB), postprandial response to altered feeding routes and reversal surgery in, 34

S

- Secondary pulmonary emboli, associated with previously undiagnosed familial thrombophilia, 76
- Sepsis-induced ARDS, gene expression profiling of non-injurious mechanical ventilation in an animal model of, 124
- Severe alcoholic hepatitis, in patients with thrombocytopenia, 84
- Severe sepsis-induced acute respiratory distress syndrome, associated with functional promoter of sphingosine 1-phosphate receptor 1, 117
- SIADH induced by bortezomib (velcade), encephalopathy and profound hyponatremia due to, 107
- Sickle cell disease, house dust mite-induced allergic airway disease associated with reduced regulatory immune cells and increased pathology, in murine model, 137
- Single nucleotide polymorphisms (SNPs), of CYP2C9 and VKORC1, in association with S-warfarin clearance, in African Americans, 24
- Solid organ transplant (SOT), Clostridium difficile infection risk after, 94
- Soluble receptor of advanced glycation endproducts (sRAGE), is decreased across glucose tolerance continuum and correlates with severity of insulin resistance, 33
- Sphingosine-1-phosphate lyase, in LPS-induced lung injury, epigenetic regulation of, 127
- Sphingosine 1-phosphate receptor, transcription regulation of, by growth factors and hypoxia, 2
- Sphingosine 1-phosphate receptor 1 functional promoter, associated with severe sepsis-induced acute respiratory distress syndrome, 117
- Spingosine kinase 2, epigenetic regulation of *P. aeruginosa* mediated acute lung injury by, 120
- STAT6, alters JMJD3-dependent M2 macrophage differentiation in pulmonary fibrosis, 130
- Stathmin, expression is more reliable than p16 protein, as a marker for high-grade cervical and laryngeal dysplasias, 64
- Stress and apoptotic signaling, induced by cardiotonic steroids, in first trimester cytotrophoblast cells, 21
- Sulfonylurea, treatment before genetic testing in neonatal diabetes, 31
- S-warfarin clearance, in association with CYP2C9 and VKORC1 SNPs, in African Americans, 24

T

- Systemic lupus erythematosus isolated by divergent genome-wide transcriptional profiles, from immune cell subsets, 143
- measurement properties of, multidimensional health assessment questionnaire in, 139
- Takostubo's cardiomyopathy, AV block and, 14
- Thrombophilia and anticoagulation recognition, with atherothrombosis amelioration, 3
- Thrombotic events, developed after starting exogenous testosterone (T) therapy, 29
- Tissue microarrays, in HER2 immunohistochemical assay for guiding clinical treatment, 80
- TNNI3K, over-expression exacerbates inflammation, in coxsackievirus B3 (CVB3) mediated viral myocarditis, 6
- Transcatheter embolization, of pulmonary arteriovenous malformation in, hereditary hemorrhagic telangiectasia, 12
- Transcription regulation, of sphingosine 1-phosphate receptors, by growth factors and hypoxia, 2
- TRIP-Br2, up-regulated by endoplasmic reticulum stress in visceral fat, 27

U

- Urate-lowering therapy (ULT), adherence with gout, facilitators and barriers in African-Americans, 142
- Uremic frost, histologic findings and diagnosis of, 99
- Urinary angiotensinogen excretion, reduction in preeclampsia, 103
- Ustekinumab, pityriasis rubra pilaris treated with, 134

V

- Vaginal microbiome, vitamin D supplementation in, bacterial vaginosis and, 96
- Vascular dysfunction, in LPS-induced acute lung injury, imatinib, 13
- Viral myocarditis, over-expression of TNNI3K, a cardiac specific kinase, exacerbates inflammation in coxsackievirus B3 (CVB3) mediated, 6
- Vitamin D
role in preventing leaky gut-induced endotoxemia in subjects at risk for diabetes, 42
supplementation, in bacterial vaginosis and vaginal microbiome, 96

W

- Wound healing, influence diabetic foot ulcers (DFU), treated with skin substitutes (SS), 95